




FIG. 1



**FIG. 2**


|   |  |  |
|---|--|--|
| BEARER CONNECTION ADDRESS TABLE         |  |  |
| FIRST<br>CONNECTION<br>IP TUPLE<br>30 ↗ | SECOND<br>CONNECTION<br>IP TUPLE<br>32 ↗ | ACTIVE/INACTIVE<br>STATUS FLAG<br>40 ↗ |
| IP TUPLE<br>ENDPOINT_1<br>36            | IP TUPLE<br>ENDPOINT_2<br>38             | ACTIVE<br>42                           |
| ⋮                                       |  |  |
| IP TUPLE<br>ENDPOINT_X                  | IP TUPLE<br>ENDPOINT_Y                   | INACTIVE                               |

26

34 {

28 {

FIG. 3



**FIG. 4**

48

| AUTHORIZED IP ENDPOINT<br>ADDRESS TABLE      |                                 |
|--|---------------------------------|
| AUTHORIZED<br>ENDPOINT IP<br>ADDRESS<br>52 ↗ | ASSIGNED PORT<br>NUMBER<br>54 ↗ |
| IP ADDRESS<br>ENDPOINT 1                     | PORT NUMBER 1                   |
| ⋮  |                                 |
| IP ADDRESS<br>ENDPOINT N                     | PORT NUMBER N                   |

50 {

FIG. 5





FIG. 6






FIG. 7